

INDEX

(Page numbers in *italics* refer to illustrations.)

A

- abdomen:
 blood clots in, 207, 207
 fluid in (ascites), 179, 207
 swelling in, 15, 16, 112, 194, 249
- acebutolol (Sectral), 293
- ACE inhibitors, see angiotensin converting enzyme inhibitors
- acetaldehyde, 79
- acetylcholine, 9
- Adams-Stokes attack, 198
- adenosine, 268
- adrenal glands, 151
- adrenaline, 9, 263, 292, 302
- adrenal tumors, 156
- aerobic exercise, 87, 102, 143, 354
- African-Americans, 273–280, 287, 293
 coronary heart disease in, 274–275
 diabetes in, 29, 276
 drug selection and, 284
 hypertension in, 29, 155, 157, 165, 275, 277–279
 lack of treatment for, 279–280
 risk factors and, 275–276
- aging, age, 28, 30, 31, 49, 134, 238
 blood pressure and, 29, 150, 152, 153, 259, 264–265, 270
 bradyarrhythmia and, 18, 198
 cholesterol levels and, 39, 40
 diet and, 52
 exercise and, 85, 92, 94
 health exams and, 33
 stroke and, 215, 219
 valvular disease and, 15, 243
 see also children; elderly; teenagers
- Agriculture Department, U. S., 52, 65
- airways, 342, 346–347, 347
- albumin, 112–113
- alcohol, 15, 30, 79–81, 302
 abuse of, 48, 81, 199
 arrhythmia and, 18, 79, 199
- cardiomyopathy and, 79–80, 187–190
 moderate use of, 32–33, 34, 48, 61–62, 80–81, 161
 race and, 275–276
- alcohol dehydrogenase, 81
- aldosterone, 156, 287
- allergy, edema and, 113
- alpha blockers, 165, 203, 286–287
- altitude, exercise and, 91
- American Academy of Pediatrics, 52
- American Association of Retired Persons (AARP), 285
- American Cancer Society, 52, 77, 78
- American College of Cardiology, 128
- American College of Sports Medicine (ACSM), 88
- American Dental Association, 252
- American Diabetes Association, 52
- American Dietetic Association, 52
- American Heart Association, 37, 77, 88, 128, 149, 171, 237, 252, 260
 check-up checklist for women, 238
 CPR and, 340, 345
 diet and, 52, 53
 health exam recommendations of, 33, 34
 heart attacks and, 134, 144
- American Journal of 'Diseases,* 193
- American Lung Association, 77
- American Red Cross, 340
- amiloride (Midamor), 300
- amiloride/hydrochlorothiazide (Moduretic), 303
- amino acids, ~5, 61
- amiodarone (Cordarone), 203, 288–289
- amitriptyline (Endep; Elavil), 193
- amphetamines, 83, 177, 199, 220, 223
- amrinone (Inocor), 190
- amyloidosis, 19–20, 193, 194
- anaerobic exercise, 86–87
- androgens, 28
- android (male-pattern) obesity, 31, 63, 241, 242
- aneurysm, 13, 14, 158, 261
 aortic, see aortic aneurysm
 left ventricular, 321, 382
 stroke and, 224
- anger management training (stress inoculation therapy), 104
- angina pectoris, 5, 12, 73, 367–368
 causes of, 11, 12, 23, 73, 109–110, 135, 157
 complications of, 139, 140, 368
 drug selection and, 284
 exercise and, 90, 121
 Heberden's description of, 133, 135
 locations for, 135–136, 136
 microvascular, 111
 mitral valve prolapse compared with, 16
 stable, 12, 136, 139–140, 141
 as symptom, 135–136, 341, 367
 treatment of, 12, 139–142, 266, 286, 293, 294, 367, 368
 unstable, 12, 140, 141
 vasospastic, 139, 140
- angiography, 43, 122, 127–128, 146, 181, 211, 261
 coronary artery disease and, 139, 242, 243
 pulmonary, 209
 stroke and, 225–226
- angioneurotic edema, 113
- angioplasty, see percutaneous transluminal coronary angioplasty
- angiotensin, 14, 155, 165, 182, 292
- angiotensin converting enzyme (ACE) inhibitors, 113, 165, 182, 283, 286, 287–288, 298
 cardiomyopathy and, 190, 194
 examples of, 288

INDEX

- angiotensin converting enzyme (ACE) inhibitors (cont.)
 factors in selection of, 284, 285
 hypertension and, 165, 259, 265, 279, 286, 287
 valve disease and, 16, 174
 anistreplase (Eminase), 146
 ankles, swelling of, 15, 80, 112–113, 168, 174, 179, 179, 180, 249
 antiarrhythmics, 175, 192, 198, 202–203, 284, 288–291, 294–295, 298
 for elderly, 267, 268
 examples of, 288–291
 pregnancy and, 245
 stroke and, 218
 antibiotics, 16, 19, 296
 penicillin, 16, 174, 260
 valve disease and, 169, 170, 244, 246
 anticoagulants, 13, 14, 18, 145–146, 173, 175, 203, 286, 291–292
 aspirin as, 13, 14, 18, 141, 146, 211, 222, 227, 291
 examples of, 292
 peripheral vascular disease and, 208, 209, 211
 pregnancy and, 245
 strokes and, 222, 223, 227
 antihypertensive drugs, 114, 150, 153, 159–160, 162–166, 198
 for elderly, 265
 peripheral adrenergic antagonists, 166, 302
 pregnancy and, 245
 antiplatelet medications, 227, 291–292
 anxiety, anxiety attacks, 108, 110, 111, 196–197
 anxiety management training, 103
 aorta, 4, 5, 7, 13, 150, 205, 250
 in arterial switch, 256–257
 coarctation of, 17, 248, 250, 255–256, 327, 328, 329
 dissection of, 110
 in transposition of the great arteries, 17, 256–257, 326, 328
 aortic aneurysm, 212–213, 368–369
 complications of, 158, 368–369
 diagnosis of, 117, 118, 213, 368
 dissection of, 13, 110, 212, 212
 symptoms of, 13, 213, 368
 treatment of, 213, 321, 368
 aortic regurgitation, 16, 174, 369
 aortic sclerosis, 266
 aortic stenosis, 173–174, 369
 causes of, 173, 369
 in children, 255
 defined, 15, 17, 168, 369
 diagnosis of, 173, 266, 369
 symptoms of, 15, 173, 369
 aortic stenosis (*cont.*)
 treatment of, 15, 174, 255, 266–267, 310–311, 319, 369
 aortic valve, 4, 5, 7, 15, 135, 167–168, 250, 318
 diseases of, see aortic regurgitation; aortic stenosis
 aortic valvuloplasty, 267, 310–311
 aphasia, stroke and, 229–231
 ape(a), 30
 apoB₁₀₀, 30
 arms:
 swelling of, 113
 weakness or numbness of, 14
 arrhythmia, 11, 17–19, 61, 111, 140, 195–204, 341
 alcohol and, 18, 79, 199
 causes of, 17, 18, 19, 32, 73, 79, 198–200
 cocaine and, 82
 diagnosis of, 116–117, 118, 201–203
 in elderly, 267–268
 electrical system of heart and, 195–197
 fainting and, 112, 197, 198, 267, 268
 heart attack and, 143–144
 heart failure and, 181
 paradox of, 195
 self-help for, 202
 symptoms of, 17, 18, 197–200, 341
 treatment of, 17, 18, 202–204, 267–268, 284, 286, 294–295, 320–321; see also defibrillator; pacemakers
 types of, 195, 196; see also bradyarrhythmia; tachyarrhythmia
 arterial switch, 256–257
 arteries, 4, 6, 7–8, 150, 205
 high blood pressure and, 157–158
 peripheral arterial disease, 209–212
 in pulmonary circulation, 8
 in systemic circulation, 7
 veins compared with, 7–8
 see also aorta; arteriosclerosis; atherosclerosis; carotid arteries; coronary arteries; pulmonary artery
 arterioles, 4, 14, 150, 205, 223
 arteriosclerosis, 11–13, 38, 72, 369–370
 defined, 12, 369
 see also angina pectoris; atherosclerosis; coronary artery disease; coronary heart disease; heart attack
 arteriovenous malformation (AVM), 223, 224
 ascites, 179, 207
 Asians, 42, 261
 aspirin, 19, 147, 208, 243, 260, 261, 268, 292
 blood clots and, 13, 14, 18, 141, 146, 211, 222, 227, 291
 asthma, 284, 293
 asymmetric septal hypertrophy (ASH), see hypertrophic cardiomyopathy
 atenolol (Tenormin), 293
 atenolo/chlorthalidone (Tenoretic), 303
 atherectomy, 310
 atherosclerosis, 369–370
 chelation therapy and, 360
 complications of, 23, 370
 defined, 12, 23, 369
 heart failure and, 181, 182
 in peripheral arteries, 210
 prevention of, 27, 370
 risk factors for, 23–24, 27, 28, 31, 38, 40, 52, 72–73, 157, 238–242
 stroke and, 210, 218, 221, 223
 symptoms of, 13, 23, 157, 370; see also angina pectoris
 treatment of, 305–311, 370; see also interventional cardiology; percutaneous transluminal coronary angioplasty
 in women, 28, 238–243
 see also cholesterol; coronary artery disease; coronary heart disease; heart attack; plaque
 athletes:
 cardiomyopathy in, 191, 192–193
 heart rate and cardiac output of, 6, 18, 87, 197
 athlete's heart, 370–371
 atresia:
 pulmonary, 257–258
 tricuspid, 257, 327, 328
 atrial fibrillation, 17–18, 173, 196, 198–199, 371
 causes of, 199, 371
 complications of, 18, 199, 218, 222, 371
 ECG of, 201
 in elderly, 267–268
 treatment of, 18, 203, 218, 267–268, 371
 atrial flutter, 196, 198–199, 203
 atrial premature beats (APBs), 388–389
 atrial-septal defect, 17, 32, 248, 252, 254
 surgery for, 325, 326
 atrioventricular (AV) node, 5, 17, 18, 116, 198, 199, 331
 electrical system and, 195–196, 196
 atrioventricular septal defect (canal defect), 248, 254–255

- atrium:
left, 3, 16, 116, 168, 173, 179–180, 195, 256, 257–258, 318
right, 3, 5, 7, 17, 116, 195, 254, 257
- Auth Rotablator, 310
- automatic implantable cardioverter defibrillator (AICDS), see defibrillator
- autosomal dominance, 192
-
- B**
-
- Baldwin, John C., 313–329
- balloon angioplasty, see percutaneous transluminal coronary angioplasty
- balloon septostomy, 256
- balloon valvuloplasty, see valvuloplasty
- Barnard, Christian, 321
- Batsford, William, 331–338
- behavioral risk factors, 31–32, 95–104
- behavior modification, 74, 103–104
- belladonna and phenobarbital mix (Donnatal), 289
- Bender, Jeffrey R., 167–175
- Benson, Herbert, 102
- beta blockers, 13, 141, 182, 192, 292–294, 296
for arrhythmia, 18, 202, 203, 286
for elderly, 265, 266, 267
examples of, 287, 293–294
factors in selection of, 284, 285
heart attacks and, 146, 147, 286
for hypertension, 164–165, 265, 286
peripheral vascular disease and, 210, 211
- betaxolol (Kerlone), 293–294
- beverages, moderate consumption of, 61–62
see also alcohol; caffeine
- biofeedback, 103, 163, 213, 360
- biological clock, 114
- biopsy, heart, 127, 190
- birth control pills, 72, 156, 219, 239–240
- Black, Henry R., 23–35
- blacks, see African-Americans
- blindness, transient monocular (amaurosis fugax), 220
- blood, 8
amount pumped through heart, 3, 4
exercise and, 90
fainting and, 111–112
fats in, 11–12, 14
plasma, 7, 8
platelets, 8, 73, 82, 92–93, 97, 98, 110, 141, 227, 291
venous, 7, 113, 205
- blood cells, types of, 8
- blood clots, 30
arrhythmia and, 18
cocaine and, 82
diagnosis of, 119
exercise and, 92–93
fibrinogen and, 31, 72
heart attack and, 12–13, 72, 157–158
in lungs, 109, 137, 206, 207, 207, 209
smoking and, 72–73
stroke and, 218, 221–222
treatment of, see anticoagulants
valve disease and, 168
in veins (venous thrombosis), 206, 207–208, 207
- blood-flow studies:
perfusion imaging, 124, 125
stroke and, 226
- blood pressure:
alcohol and, 33, 161
in arteries, 7, 154
cocaine and, 82
diastolic, 29, 120, 151, 152, 153
of elderly, 29, 150, 152, 153, 264–265, 270
exercise and, 29, 32, 85, 92, 150, 162
fainting and, 150–151
high, see hypertension
kidneys and, 9, 154, 155, 158–159
management of, 152
measuring of, 151, 152, 153, 154–155
nervous system and, 9
physiology of, 150–151
pregnancy and, 157, 244, 246
systolic, 29, 120, 151, 153, 265
in veins, 7–8
- blood tests, 147, 151, 154, 251
- blood vessels, 4
aging of, 264
capillaries, 4, 5, 7, 8, 150, 205, 207
diseases of, see aneurysm; peripheral vascular disease
increase of inner diameter of, see percutaneous transluminal coronary angioplasty
stroke and, 14, 215–216
- “blue babies,” 17
- “blue blood,” 113
- body size, heart attack and, 242
- bradyarrhythmia (bradycardia), 19, 195–198, 331, 372
drug selection and, 284
in elderly, 267
heart block, 17, 18, 112, 196, 198, 201, 267, 331, 379–380
sick sinus syndrome, 196, 198, 267
sinus, 18, 196, 197–198, 203
- brady-tachy syndrome, 18, 203
- brain, 9
aneurysm and, 14
blood clot in, 158, 168
functioning of, 215–217, 216
hemispheres of, 216–217, 216, 229
hypertension and, 158
vascular system of, 216, 217
see also stroke
- brain damage, symptoms of, 229
- brain (intracerebral)
hemorrhage, 14, 158, 223, 226
- brain stem, 216
- Brass, Lawrence M., 215–233
- breast cancer, 32, 45, 52, 72, 113
- breast feeding, 246
- breath, shortness of (dyspnea), 13, 17, 19, 80, 114, 144, 187, 252, 266
arrhythmia and, 197
heart failure and, 178–179, 180
at rest (orthopnea), 178, 180
types of, 108–109
valve disease and, 16, 168, 173, 174
- breathing, rescue, 344, 344, 345, 347
- Brigham and Women’s Hospital, 240
- bronchitis, 71–72, 137
- bruits, 154, 219
- Buerger’s disease (thromboangitis obliterans), 213–214
- bumetanide (Bumex), 300
- Burg, Matthew M., 95–104
- buttocks, pain in, 13
- bypass grafts, 13
- bypass surgery, 14, 42, 212
see also coronary artery bypass surgery
-
- C**
-
- Cabin, Henry S., 3–9
- CAD, see coronary artery disease
- caffeine, 25, 61
arrhythmia and, 17, 18, 61, 201, 202
blood pressure and, 152, 153
- calcific degeneration, 171, 173
- calcium, 12, 23, 61, 118, 190, 298
- calcium channel blockers, 141, 182, 233, 283, 284, 294–295
for arrhythmia, 18, 202, 203, 286
cardiomyopathy and, 192, 194
examples of, 294–295
for hypertension, 165, 265, 286
for peripheral vascular disease, 213
- caloric equation, 63, 64
- calories, 52, 56
in common foods, 46

INDEX

- calories (cont.)
 daily needs for, 57-58
 used in various activities, 86
- calves, pain in, 13
- canal defect (atrioventricular septal defect), 248, 254-255
- cancer, 193
 breast, 32, 45, 52, 72, 113
 colon, 45, 52
 lung, 71, 72, 74, 77
 lymphatic (lymphoma), 19
 uterine, 32
- capillaries, 4, 5, 7, 150, 205, 207
 pulmonary, 8
 size of, 4
- captopril (Capoten), 182, 279, 288
- captopril/hydrochlorothiazide (Capozide), 303
- carbohydrates, 47, 53-56, 59
 complex, 54, 59, 61
- carbon dioxide, 7-9, 248
- carbon monoxide, 72, 73, 77
- cardiac arrest (sudden death), 224, 372-373
 exercise and, 93, 191, 192-193
- cardiac catheterization, see catheterization
- cardiac cycle, 4, 5
- cardiac dyspnea, 108
- cardiac output, 6
- cardiomyopathy, 11, 19-20, 168, 178, 185-194, 374
 alcoholic, 79-80, 187-190
 dilated congestive, see dilated congestive
 cardiomyopathy
 guidelines for, 189
 heart failure and, 182, 185-186
 hypertrophic, see hypertrophic cardiomyopathy
 ischemic, 185, 194
 perinatal, 246
 restrictive, see restrictive cardiomyopathy
 use of term, 185
- cardiopulmonary bypass machine ("heart-lung machine"), 314
- cardiopulmonary resuscitation (CPR), 200, 339-340
 courses in, 340
 legal aspects of, 347
 obstructed airway techniques and, 346-347
 one-rescuer, 342-346, 343, 344
 procedures for, 340
- cardiovascular risk factors, see risk factors; *specific factors*
- cardiovascular system:
 control of, 8-9
 functions of, 3
 homeostasis and, 8-9
 see also circulation; heart; *specific topics*
- cardioversion, 18, 203, 268
- carotid arteries, 9, 14, 23, 90, 112, 158, 220, 226
- carotid bruit, 219
- carotid endarterectomy, 14, 219, 227-228
- carotid stenosis, 220-221, 226, 228
- carotid ultrasound, 226
- carteolol (Cartrol), 293-294
- catecholamines, 73
- catheterization, 122, 126-128, 126, 166, 173, 261, 268
 balloon septostomy, 256
 cardiomyopathy and, 190, 192
 congenital heart disease and, 251-252, 253
 heart failure and, 181, 182-183
 peripheral vascular disease and, 211, 212
 risk of, 128
 see also angiography; valvuloplasty
- cells:
 blood, 8
 brain, 216
- Centers for Disease Control, 52, 133-134
- centrally acting drugs, 166, 295
- cerebella hemorrhage, 223
- cerebellum, 216, 223
- cerebral atherothrombosis, 221
- cerebral embolism (embolic stroke), 14, 18, 221-222, 222
- cerebral hemorrhage, 14, 158
- cerebral thrombosis, 158, 168
- cerebrum, 216-217, 216, 223
- CHD, see coronary heart disease
- chelation therapy, 360
- chemotherapy drugs, 193
- chest
 fluid in, 180
 X-rays of, see X-rays, chest
- chest compressions, 345-346
- chest pain, 13, 19, 109-111
 arrhythmia and, 197
 cardiomyopathy and, 192, 194
 causes of, 109, 136, 137
 exercise and, 93, 121
 fictional (psychological), 110-111
 heart attack and, 12, 110, 137, 144, 266
 heart failure and, 168
 stress and, 98
 valve disease and, 15, 16
 see also angina pectoris
- chest thump, 345
- children, 247-262
 congenital heart defects in, 247-258
 diagnosis techniques for, 119, 249-252
 drug selection and, 285
 hyperlipidemia in, 247, 259-260
- children (*cont.*)
 hypertension in, 247, 258-259
 Kawasaki disease in, 247, 260-261
 low-fat diets and, 52
 rheumatic fever in, 170, 247, 260
 secondhand smoke and, 77
 surgery for, 247, 253-258
 Type A, 100-101, 102
- Chinese diet, 277
- chlorpromazine (Thorazine), 193
- chlorthalidone (Hygroton), 299
- chlorthalidone/reserpine (Demi-Regroton), 303
- cholesterol, 23, 25, 27-31, 37-49, 55
 benefits of control of, 42-43
 blood pressure and, 14
 in children, 247, 259-260
 in common foods, 46, 47
 diet and, 40-42, 45-49, 51, 52, 57, 59, 61, 62, 64, 259, 260, 295
 drug selection and, 285
 in elderly, 270-271
 exercise and, 45, 85, 93
 HDL, see high-density lipoproteins
 hypercholesterolemia, 28, 40, 41
 LDL, see low-density lipoproteins
 lowering of, 30, 34, 42-43, 45-49, 245, 270-271, 285, 286, 295-298
 measuring of, 43-45, 259-260
 nature of, 3740
 peripheral vascular disease and, 210, 211
 smoking and, 72
 stroke and, 29, 38, 217, 219
 total, 29-30, 3940, 44-45
 in women, 30, 39, 40, 48-49, 238-242
- cholestyramine (Questran; Questran Light), 42, 49, 296
- chordae tendineae, 4, 167
- chronic venous insufficiency, 206, 208
- cimetidine (Tagamet), 287, 288
- circulation, 3-4, 150
 checking for, 344
 collateral, 144
 congenital heart disease and, 249-250
 described, 7-8, 205, 207
 in fetus, 248
 pulmonary, 7, 8, 9
 systemic, 7-8
 see also arteries; arterioles; blood; capillaries; veins
- Cleman, Michael W., 305-311
- Cleveland Clinic, 317
- clinical trials, 27-28, 93
- clonidine (Catapres; Catapres-TTS), 284, 295

- clonidine/chlorthalidone (Combipres), 303
 “clubbing,” 249
 coarctation of the aorta, 17, 248, 250, 255–256
 surgery for, 327, 328, 329
 cocaine, 18, 32, 82, 177, 199, 220, 223
 coffee, see caffeine
 Cohen, Lawrence S., 11–20, 107–114, 283–304
 collagen vascular disease, 19
 collateral circulation, 144
 colon cancer, 45, 52
 communication, with stroke survivors, 229–231
 community phase, 357
 computed tomography (CT scan), 126, 156, 194, 213
 stroke and, 224, 225
 conduction system, 5
 congenital heart defects, 11, 17, 375–376
 in children, 247–258
 coarctation of the aorta, 17, 248, 250, 255–256, 327, 328, 329
 cyanotic, see cyanotic conditions
 development of heart and, 247–248
 diagnosis of, 118, 119, 249–252
 in fetus, 248–249
 incidence of, 17, 247
 patent ductus arteriosus (PDA), 17, 252–253, 327, 328–329
 pulmonary stenosis, 16, 17, 174, 248, 255, 311
 surgery for, 324–329
 valvular, 15, 17, 326, 328
 see also aortic stenosis; septal defects
 congestive heart failure (CHF), 341, 376–377
 use of term, 177
 see also heart failure
 consciousness, loss of, 18, 144
 see also fainting
 consumers, patients as, 359–362
 contrast venography, 208
 cookbooks, recommended, 67
 cooking, 66–67
 coronary angiography, see angiography
 coronary arteries, 5, 7, 134, 143
 blood clot in, 157–158
 catheterization of, see coronary arteriography
 narrowing of, see angina pectoris; atherosclerosis
 nicotine and, 73
 X-rays of, see angiography
 coronary arteriography, 127, 268
 coronary artery bypass surgery, 12, 52, 73, 142, 146, 147, 316–318
 coronary artery bypass surgery (*cont.*)
 angioplasty compared with, 306
 heart failure and, 182–183
 coronary artery disease (CAD), 133–143, 177, 341, 377–378
 complications of, 378
 defined, 12
 diagnosis of, 136–139, 378
 life-style modification and, 142–143
 stroke and, 218
 symptoms of, 133, 135–136, 378; see also angina pectoris
 treatment of, 139–143, 301, 305–311, 378
 see also arteriosclerosis; atherosclerosis; coronary heart disease; myocardial ischemia
 coronary artery spasm, 241
 coronary care units (CCUs), 144, 146–148
 Coronary Drug Project, 43
 coronary heart disease (CHD), 27–32, 37, 40, 42, 181, 238–242, 341, 377–378
 arrhythmia and, 17
 in elderly, 265–266
 exercise and, 85, 88, 93
 gender and, 28, 238–243
 racial differences and, 274–275
 stroke and, 215, 217, 218, 222
 use of term, 12
 see also arteriosclerosis; atherosclerosis; coronary artery disease; myocardial ischemia
 coronary thrombosis, 157–158
 coronary veins, 5
 cor pulmonale, 72, 377
 cortisone, 19, 156, 188, 190, 260
 costs, health, 360, 361–362
 cotinine, 77
 Coxsackie virus Type B, 110, 187–188
 CPR, see cardiopulmonary resuscitation
 crack, 82
 see also cocaine
 cyanotic conditions, 17, 113, 180, 250, 251, 256–258, 374–375
 central vs. peripheral, 113
 hypoplastic left heart syndrome, 258, 327, 328
 persistent truncus arteriosus, 257
 pulmonary atresia, 257–258
 tetralogy of Fallot, 17, 256, 325, 326, 327
 total anomalous pulmonary venous connection, 258
 cyanotic conditions (cont.)
 transposition of the great arteries, 17, 256–257, 326, 328
 tricuspid atresia, 257, 327, 328
 cyclosporine (Sandimmune), 323–324
-
- D
- dairy products, 53, 59, 61, 67
 daunorubicin (Cerubidine), 193
 death, 43, 133–134
 arrhythmia and, 195
 from atherosclerosis, 23
 cardiomyopathy and, 187, 191, 192–193
 from coronary artery disease, 133, 134, 139
 from coronary heart disease, 12, 28, 41, 177
 from heart attacks, 12, 116, 133, 134, 143, 148, 149, 242, 274
 from heart failure, 15
 high blood pressure and, 29
 of spouse, 98
 from strokes, 14–15, 148, 215, 274
 sudden (cardiac arrest), 93, 191, 192–193, 224, 372–373
 Deckelbaum, Lawrence, 133–148, 283–304
 defibrillator (automatic implantable cardioverter defibrillators), 145, 146, 204, 268, 335–338
 implantation of, 337–338, 337
 workings of, 336–337
 demand pacemakers, 332
 De Mortu *Cordis* (Harvey), 313
 dental work, antibiotics and, 16, 19, 169, 170, 171, 244, 252
 depression, 165, 232
 drug selection and, 284
 fatigue and, 113, 114
 diabetes, 29, 30, 31, 37, 114, 293
 adult-onset (Type II), 31, 52, 270
 congenital heart disease and, 248
 diet and, 54, 55
 drug selection and, 285
 exercise and, 93
 hypertension and, 157, 161–162
 juvenile-onset (Type I), 31
 peripheral vascular disease and, 13, 210, 211
 race and, 29, 276
 stroke and, 31, 217, 218, 223
 symptoms of, 156
 in women, 241
 diagnosis, 105–129
 symptoms and, 107–114
 see also tests; *specific diseases*
 diastole, 5
 diastolic blood pressure, 29, 120, 151, 152, 153

INDEX

diet, 51–70, 143
cholesterol and, 40–42, 45–49,
51, 52, 57, 59, 61, 62, 64,
259, 260, 295
components of, 53–56
ethnicity and, 277
fad and crash, 162, 163
foods to emphasize in, 59, 61
high-carbohydrate, 56, 58–59
high-protein, 55
implementation of, 57–62
low-fat, 30, 33, 45–48, 51, 56,
58–59, 260, 295
low-sodium, 15, 160, 162, 258
“magic bullets” and, 53
practical tips for, 64–70
race and, 276, 278
sample menus and, 60, 69–70
serving and portion size
recommendations for,
58–59
smart substitutions and, 62
vegetarian, 55
weight-loss, 63–64
Yale recommendations for,
56–57
see also foods; *specific foods
and food groups*
digitalis, 16, 18, 173, 182, 190,
202, 286, 289, 298–299
digitoxin (Crystodigin
Purodigin), 299
digoxin (Lanoxicaps; Lanoxin),
190, 202, 253, 257, 289,
290, 296, 298–299
dilated congestive
cardiomyopathy, 185–191,
187
course of, 186–187
diagnosis of, 190
myocarditis and, 187–188
prognosis for, 191
symptoms and causes of, 187–
190
treatment of, 190–191
diltiazem (Cardizem), 202, 284,
294
diphtheria, 188
dipyridamole (Persantine), 138,
268, 292, 315
Directory of Medical Specialists,
360, 362
disopyramide phosphate
(Nor~ace), 202–203, 289
dissecting aneurysm, 13, 110,
212, 212
circuit ~: ~: & 253? 257<287,
cardiomyopathy and, 190
factors in selection of, 284,
285
hypertension and, 164, 165, 265
100p, 285, 299, 300
potassium-sparing, 164, 284,
285, 288, 299, 300–301
pregnancy and, 245
thiazide, 296, 299–300
valve disease and, 16, 173, 174

dizziness, 12, 13, 14, 16, 265, 266
dobutamine (Dobutrex), 120, 190
doctors, finding, 362
dopamine (Intropin), 190
Doppler ultrasonography, 120,
172, 208, 211, 226, 251
“dose-response,” 25
Down’s syndrome, 248, 254–255
doxazosin mesylate (Cardura),
284, 286–287
doxorubicin (Adriamycin;
Rubex), 193
drug abuse, recognizing, 83
drugs, 283–304
alpha blockers, 165, 203, 286–
287
for angina, 12, 13, 140–141,
245, 286, 293, 294
antibiotics, 16, 19, 169, 170,
174, 244, 246, 260, 296
antiplatelet, 227, 291–292
for cardiomyopathy, 190, 192
cardiomyopathy caused by,
193
categories of, 286
centrally acting, 166, 295
cholesterol-lowering, 30, 42–
43, 48, 49, 245, 270, 285,
295–298
combination, 141, 286, 303–
304
congenital heart disease and,
248
for coronary artery disease,
140–141
digitalis, 16, 18, 173, 182, 190,
202, 286, 289, 298–299
elderly and, 269, 284
factors in selection of, 284–
285
heart attack and, 144–147,
284, 286, 291
heart failure and, 15, 182, 286,
287, 298
hypertension due to, 156
illicit, 18, 32, 82–83, 177, 199,
220, 223
immunosuppressive, 19
intravenous (IV), 82–83
nitrates, 140–141, 245, 286,
301–302
nonsteroidal anti-inflammatory
(NSAIDs), 19
peripheral adrenergic
antagonists, 166, 302
for peripheral vascular
disease, 208
pregnancy and, 244–246
race and, 284
shopping around for, 285
for stroke, 227, 232–233
for valve disease, 16, 174–175,
286, 291
see also angiotensin
converting enzyme
inhibitors;
antiarrhythmics;
anticoagulants;

drugs (*cont.*)
antihypertensive drugs;
beta blockers; calcium
channel blockers;
diuretics; thrombolytic
agents; vasodilators;
specific drug names
dual-chamber pacemakers, 332–
333
ductus arteriosus, 248, 255, 258
patent (PDA), 17, 252–253,
327, 328–329
ductus venosus, 248
dysarthria, stroke and, 229
dyspnea, see breath, shortness
of

E

ECG, see electrocardiogram
echocardiography, 115, 119–120,
120, 147, 181, 261, 268
cardiomyopathy and, 190, 192,
194
congenital heart disease and,
248–249, 251, 254
coronary artery disease and,
139
Doppler, 120, 172
fetal, 248–249
overuse of, 154
peripheral vascular disease
and, 213
transesophageal, 120
valve disease and, 172, 266
eclampsia, 246
edema, see swelling
eggs, 59, 67
Eisenhower, Dwight D., 350
elderly, 263–271
aging of heart in, 263–264
arrhythmia in, 267–268
blood pressure of, 29, 150,
152, 153, 264–265, 270
calcific degeneration in, 171
cholesterol and, 270–271
common types of
cardiovascular disease in,
264
coronary heart disease in,
265–266
diagnosis in, 268
exercise and, 270
fatigue of, 114
heart failure in, 177
obesity in, 270
risk factors and modification
in, 269–270
smoking by, 270
stroke and, 215, 224, 268
treatment of, 268–269
valve disorders of, 266–267
electrical appliances and
equipment, pacemakers
and, 335
electrical system, of heart, 195–
197

- electrocardiogram (ECG), 16, 17, 116-117, 116, 146
 ambulatory, 17, 118, 119, 138, 200, 268
 arrhythmia and, 200, 201
 cardiomyopathy and, 190, 192
 congenital heart disease and, 250-251
 coronary artery disease and, 138
 exercise stress test and, 120-121, 120, 138, 243
 heart attack and, 116, 242-243
 heart failure and, 181
 myocarditis and, 188
 normal, 117, 201
 prevention and, 242-243
 signal-averaged (SAECG), 117, 200
 stroke and, 225
 valve disease and, 171-172
 electrophysiology studies
 arrhythmia and, 200, 202, 336
 Elefteriades, John A., 313-329
 embolic stroke, 14, 18, 221-222, 222
 embolus, 168, 207
 pulmonary, 109, 137, 206, 207, 207, 209
 TTAs and, 220-221
 emergencies, cardiac, 339-347
 getting medical help in, 341-342
 obstructed airway techniques in, 346-347, 347
 vulnerability to, 340
 see *also* cardiopulmonary resuscitation
 emergency department, heart attack and, 144-146
 Emergency Medical Service (EMS), 342, 345
 emotions:
 blood pressure and, 150
 rehabilitation and, 350-351
 stress and, 96-97
 after stroke, 232
 emphysema, 71-72, 284
 employee assistance programs (EAPs), 83
 enalapril (Vasotec), 182, 288
 enalapril/hydrochlorothiazide (Vaseretic), 304
 endarterectomy, 211
 carotid, 14, 219, 227-228
 endocarditis, 16, 19, 82-83, 170-171, 173, 244, 378-379
 causes of, 19, 170, 246, 378
 in children, 252, 253, 260
 in elderly, 267
 pregnancy-induced, 246
 prevention of, 252, 379
 reduction of risk of, 169, 170, 171, 252, 379
 symptoms of, 19, 378
 treatment of, 19, 378
 endocardium, 4
 endomyocardial fibrosis, 193, 194
 endothelium, 7, 72
 environmental factors:
 in congenital heart disease, 248
 defibrillator and, 338
 pacemakers and, 335
 Environmental Protection Agency, U. S., 77-78
 Epstein, Arnold M., 279
 equilibrium radionuclide angiocardio-gram, see MUGA scan
 erythrocytes (red blood cells), 8
 Eskimos, diet of, 53
 estrogen, 63
 menopause and, 28, 32, 63, 238-239
 in oral contraceptives, 239
 smoking and, 72
 estrogen replacement therapy, 32, 111, 219
 pros and cons of, 239
 ethanol, 79
 ethnicity, risk factors and, 275-277
 eustress, 95-96
 exercise, 4, 6, 13, 29-32, 34, 85-94
 aerobic, 87, 102, 143, 354
 anaerobic, 86-87
 angina and, 136
 arrhythmia and, 197
 benefits of, 85, 92-93
 blood pressure and, 29, 32, 85, 92, 150, 162
 calories used in, 86
 cholesterol and, 45, 85, 93
 cooling down and, 90, 354
 elderly and, 92, 94, 270
 fitness and, 86-87, 88, 92
 getting started with, 88-90
 inability to, 15
 oxygen requirements and, 5
 peripheral vascular disease and, 210, 211
 reasons for suspension of, 91
 recommendations for, 87-91, 354
 research on, 93
 risks of, 93
 safety of, 90-91, 358
 swelling and, 112
 valve disease and, 174
 warming up and, 90, 354
 exercise prescription, 91-92
 sample, 89
 exercise rehabilitation program, 350, 352-358
 design of, 353-354
 goals of, 352-353
 home, guidelines for, 357
 organized vs. home, 354-358, 355, 356, 357
 typical session in, 354
 warning signs and, 358
 exercise stress test, 93-94, 117, 120-122, 125, 147, 268, 352
 overuse of, 154
 extracranial-intracranial bypass, 228
 eyes:
 hypertension and, 153, 158, 159
 swelling around, 112, 113, 249
 Ezekowitz, Michael D., 205-214
 F
 face, weakness or numbness of, 14
 fainting (syncope), 12, 14, 15, 17, 111-112, 168, 393-394
 arrhythmia and, 112, 197, 198, 267, 268
 cardiomyopathy and, 191, 192
 causes of, 111, 150-151, 393-394
 defibrillation and, 338
 Fairchild, Michele, 51-70
 falls, sudden, 14
 familial hypercholesterolemia, 28, 40, 41
 family, stroke rehabilitation and, 228-231
 fat, body:
 in blood, 11-12, 14; see *also* cholesterol; triglycerides
 distribution of, 63
 exercise and, 87
 stress and, 97
 fat, dietary, 23, 30, 33, 52-56
 according to saturation, 47
 cooking and, 66
 decline in, 51
 figuring grams of, 58
 functions of, 55
 labeling of, 64, 65
 maximum daily intake of, 59
 monounsaturated, 47, 55, 56, 59
 polyunsaturated, 47, 53, 55, 56, 59
 saturated, 46, 47, 51, 52, 55, 56, 62
 sources of, 46, 56
 see *also* oils
 fatigue, 19, 80, 113-114, 187, 252
 heart failure and, 15, 178
 valve disease and, 16, 168, 170
 fatty acids, 53, 55, 56, 61
 Favaloro, Rene, 317
 feet:
 peripheral vascular disease and, 210
 swelling of, 113, 179
 fetus, congenital heart disease in, 248-249
 fever, 16, 19, 260
 rheumatic, 15, 16, 19, 170, 173, 247, 260, 318
 fiber, dietary, 45, 54-55
 fibrin, 110, 309
 fibrinogen, as risk factor, 31, 72
 "fight or flight" reaction, 9, 97, 151, 165, 286
 fingers, cold or painful, 213

INDEX

Finland, 41, 42
fish, 59, 61
fitness, defined, 86–87
Fixx, Jim, 93
flecainide (Tambocor), 203, 289–290
fluvastatin (LoChol), 297
Foley catheter, 315
Fontan procedure, 257, 258
Food and Drug Administration (FDA), 65, 253, 254, 325
food labels, 64–66
foods:
 cholesterol/fat/calorie content of, 46
 to emphasize, 59, 61
 high-salt, 161
 preparation of, 66–67
 shopping for, 64–66
 smart substitutions and, 62
 to use in moderation, 61–62
 see also *specific foods and food groups*
foramen ovale, 248, 254, 256
Framingham Heart Study, 24, 27, 29, 30, 41, 101, 135, 218, 240, 243, 269–270
Fraser-Smith, Nancy, 103
fraud, health, protection against, 360–361
Friedman, Meyer, 99, 101
Friedreich's ataxia, 190
frontal lobes, 217
fruit, 59
functional (psychological) chest pain, 110–111
fundional (psychological) dyspnea, 108
furosemide (Lasix), 174, 300
fusiform aneurysm, 212

G

Galen of Pergamon, 313
gallbladder, 52, 109
gamma globulin, 261
gangliosides, 233
garlic, 53
Gathers, Hank, 192–193
gemfibrozil (Lopid), 42, 49, 296–297
gender, 25
 atherosclerosis and, 28, 238–243
 cholesterol and, 39, 40, 4849
 heart failure and, 177
 Kawasaki disease and, 261
 stroke and, 28, 218
 valve disease and, 170, 172
 see also *women*
genetics, see *heredity*
geographic location, stroke and, 220
Germany, diet in, 53
Gibbon, John, 313
glucose, 54, 216, 218, 285, 299
glycogen, 54
glycyrrhizic acid, 156

gout, drug selection and, 285
grains, 54, 59, 61
Greece, 56
group therapy, 102
Gruentzig, Andreas, 306
guanabenz (Wytensin), 295
guanadrel (Hylorol), 284
guanethidine (Ismelin), 284
guanfacine (Tenex), 295
gynecoid (female-pattern) obesity, 31, 63, 241

H

Harburg, Ernest, 278
Harvard alumni study, 162
Harvard Medical School, 218
Harvey, William, 313
HDL, see *high-density lipoproteins*
headaches, 14, 223, 260, 284
Health and Social Service Department, U. S., 52
health examination, 115–122
 blood pressure measured in, 151, 153–154
 exercise and, 91, 92, 93
 of infants and children, 249–252
 recommendations for, 33, 34
 stroke diagnosis and, 225
heart
 aging of, 263–264
 conduction system of, 5
 development of, 247–248
 electrical system of, 195–197
 enlargement of, see *hypertrophy*
 examination of, 153–154
 inefficiency of, 15
 major problems of, 11–12
 size of, 3, 4
 structure of, 3–5, 134
 see also *specific topics*
heart attack (myocardial infarction; MI), 11–14, 16, 25, 27, 28, 32, 43, 134, 143–149
 body size and, 242
 causes of, 12, 23, 110, 149, 385
 cocaine and, 82
 coronary care units and, 144, 146–148
 diagnosis of, 116, 125, 385
 in elderly, 266
 emergency department and, 144–146
 emergency intervention in, 145
 exercise and, 85, 93
 heart failure and, 181
 ischemic cardiomyopathy and, 185, 194
 prevention of, 242–243, 385
 rehabilitation after, see *exercise rehabilitation program; rehabilitation, cardiac*

heart attack (myocardial infarction; MRI) (*cont.*)
 by risk factors present, 27
 severity of, 143–144
 sex after, 351
 silent, 110, 266, 274
 smoking and, 30, 73, 240
 stress and, 98, 99, 241–242
 stroke compared with, 215
 symptoms of, 12, 112, 137, 144, 145, 341, 385
 treatment of, 12–13, 141, 144–148, 232, 242, 284, 286, 291, 339–340, 385
 in women, 237–243
heart block, 17, 18, 112, 196, 198, 267, 331, 379–380
 complete, 198, 201
heartburn, 109, 136, 137
heart chambers, 3–4
 see also *atrium; ventricle*
heart failure, 11, 15, 115, 177–183
 blood pressure and, 14, 15, 29
 cardiomyopathy and, 182, 185–186
 causes of, 15, 18, 19, 29, 79–80, 168, 173, 177–178, 181–182
 in children, 249, 253
 classifications of, 178
 congestive, 177, 341, 376–377
 diagnosis of, 180–181
 drug selection and, 285
 effects of, 178
 left vs. right side, 179–180
 prognosis for, 183
 risk factors for, 177–178
 self-protection and, 182
 signs and symptoms of, 15, 178–181, 341
 stroke and, 179, 218, 222
 treatment of, 15, 146, 182–183, 286, 287, 298
 use of term, 177
heart murmur, 15, 16, 17, 170, 171
 diagnosis of, 115, 173, 250, 254
 in elderly, 266
heart muscle disease, see *cardiomyopathy*
heart muscle inflammation, see *myocarditis*
heart rate, 6, 9
 maximum, 88
 monitoring of, 90
 normal, 197
 target, 88, 90, 90, 121
heart rhythm, disturbances in, see *arrhythmia*
heart transplants, 19, 183, 191, 194, 321–324
 in children, 258, 261
 operation in, 322–324, 322, 323
 patient selection for, 321–322
heart valve disease, see *valve disease*

- Heberden, William, 109, 133, 135
 Heimlich maneuver, 346–347, 347
 Helsinki Heart Study, 42
 hematocrit, 219
 hematomas, 223, 224
 hemochromatosis, 20, 193, 194
 hemoglobin, 8, 87
 hemorrhage:
 cerebella, 223
 cerebral, 14, 158
 hemorrhagic stroke, 14, 221, 223–224, 226
 Henry, John, 278–279
 heparin, 146, 208, 209, 226, 291, 316
 heparinoids, 226
 herbal remedies, 361
 Herbert, Victor, 360
 heredity, 25, 28–31, 72, 93
 autosomal dominance and, 192
 cardiomyopathy and, 187, 189–190, 192
 congenital defects and, 247, 248
 cyanosis and, 113
 hypercholesterolemia and, 28, 40, 41
 hypertension and, 157, 279
 stroke and, 28, 217–218, 219
 valve defects and, 171, 244
 varicose veins and, 208
 heroin, 82
High Blood Pressure and What You Can Do About It, 164
 high-density lipoproteins (HDL), 30–33, 38–40, 42, 48, 238, 260, 270, 275, 277, 295–297
 alcohol and, 80
 exercise and, 45, 48, 92
 fats and, 55, 56
 measurement of, 44–45
 oral contraceptives and, 239
 smoking and, 72, 73, 240
 weight loss and, 46
 in women, 238–241
 His, Bundle of, 196, 196
 HMG-CoA reductase, 297
 “holiday heart,” 79
 Helter monitor, 17, 118, 119, 138, 200, 268
 homeostasis, 8–9
 Honolulu Heart Study, 218
 hormones, 182
 blood pressure and, 151, 164–165
 fat distribution and, 63
 stress, 97, 98, 102
 see also *specific hormones*
 hospitals:
 African-Americans in, 279–280
 coronary care units (CCUs) of, 144, 146–148
 elderly in, 269
 female heart attack patients in, 242
 hospitals (cont.)
 rehabilitation phase in, 351–352
 Hufnagel, Charles, 319
 human immunodeficiency virus (HIV), 110
 hydralazine (Apresoline), 211, 302–303
 hydralazine/hydrochlorothiazide (Apresazide), 304
 hydrochlorothiazide (Esidrix; Hydrodiuril; Oretic), 174, 279, 299–300
 hydrochlorothiazide/reserpine (Hydropres), 304
 hydrogenization, 55–56
 hypercholesterolemia, familial, 28, 40, 41
 hypercoagulable state, 207
 hyperlipidemia:
 in children, 247, 259–260
 summary of, 380
 see also cholesterol
 “hyperpneic” children, 256
 hypertension (high blood pressure), 11, 13–14, 23, 25, 27, 31, 32, 37, 72, 149–166, 380–381
 alcohol and, 79
 arrhythmia and, 17
 causes of, 155–157, 380–381
 in children, 247, 258–259
 complications of, 381
 defined, 151–152, 380
 diagnosis of, 152–155, 381
 diet and, 51, 52
 in elderly, 29, 152, 264–265
 facts and myths about, 149, 150
 heart failure and, 181, 182
 illustrative case of, 159
 isolated systolic, 29, 152, 264, 265
 long-term effects of, 157–159, 179
 oral contraceptives and, 239–240
 peripheral vascular disease and, 210, 212
 pregnancy and, 244, 246
 primary (essential), 14, 155, 259, 278
 pulmonary, 137, 209, 389–390
 race and, 29, 155, 157, 165, 275, 277–279
 renovascular, 155–156
 reversibility of, 150
 risk factors for, 157, 380–381
 secondary, 14, 155–157, 259
 stroke and, 29, 149, 158, 179, 217, 218, 223
 treatment of, 14, 29, 34, 114, 119, 150, 153, 159–166, 259, 264, 265, 279, 286–287, 292–293, 295, 381
 white-coat, 153
 in women, 239–240, 244, 246
 Hypertension Detection and Follow-up Program, 278
 hyperthyroidism, 17, 177, 289
 hypertrophic cardiomyopathy (idiopathic hypertrophic subaortic stenosis; asymmetric septal hypertrophy), 19, 185, 186, 191–193, 191
 causes of, 192, 193
 complications of, 191
 diagnosis and treatment of, 192
 as risk for young athletes, 192–193
 hypertrophy (heart enlargement), 29, 116, 117, 118, 158, 181, 253
 left ventricular (LVH), 32, 218, 265
 hypnosis, 163
 hypoplastic left heart syndrome, 258, 327, 328
 hypotension, orthostatic, 165, 265, 284
 hypoxia (low blood oxygen), 180
-
- I
- idiopathic hypertrophic subaortic stenosis (IHSS), see hypertrophic cardiomyopathy
 imipramine (Tofranil), 193
 immunosuppressive drugs, 19
 impedance plethysmography, 208
 impotence, 13, 165, 287
 indomethacin (Indocin), 208, 253
 infants, see children
 infection:
 kidney, 155
 strep, 16, 155, 260
 valve, see endocarditis
 viral, 15, 19, 110, 187–188, 248, 261
 inferior vena cava, 7
 inflammation, 16, 19
 of veins (phlebitis), 206, 207, 208, 291
 in-hospital phase, 355
 insulin, 31, 32, 93
 insulin resistance, 31
 insurance, 354
 intermittent claudication, 13, 23, 157, 210, 211, 212
 interstitial fibrosis, 79
 interventional cardiology, 305–311
 atherectomy, 310
 laser ablation, 308–309
 stents, 309–310
 see also percutaneous transluminal coronary angioplasty; valvuloplasty
 intracerebral (brain) hemorrhage, 223, 226
 iron, 8, 61
 hemochromatosis and, 20, 193

INDEX

- Isaacsohn, Jonathan, 37–49, 283–304
- ischemia, see myocardial ischemia
- ischemic cardiomyopathy, 185, 194
- ischemic cascade, 226
- ischemic stroke, 221–223
- isometric exercise, 86–87
- isosorbide dinitrate (Dilatrate-SR; Iso-Bid, Isordil; Sorbitrate; Sorbitrate SA), 141, 301–302
- Italy, 56
-
- ### J
- James, Sherman A., 278
- Japanese:
 diet of, 277
 heart disease in, 42
 Kawasaki disease in, 261
 “John Henryism,” 278–279
- Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure, 161
- joint pain, 16
-
- ### K
- Kannel WNiam, 24
- Karasek, Robert, 98–99
- Kawasaki disease (mucocutaneous lymph node syndrome), 247, 260–261, 381–382
- Kempner, Walter, 160
- kidney dialysis, 159
- kidney disease (nephrotic syndrome), 19, 29, 31, 52, 239, 285
 edema and, 112
- kidney failure, 180, 285
- kidneys, 7, 9
 blood pressure and, 9, 154, 155, 158–159
 diet and, 55
 examination of, 154
 fluid retention and, 182, 186, 287
 impairment of, 13, 14, 158–159, 288
- Kleinman, Charles S., 247–262
- Kopf, Gary S., 313–329
-
- ### L
- labeling, food, 64–66
- labetolol (Normodyne; Trandate), 287
- Iabetolofydrochlorothiazide (Normozide; Trandate HCT), 304
- lactose, 53
- lacunar infarction (lacunar stroke), 222–223, 222
- laser ablation, 308–309
- lasers, 13
- LDL, see low-density lipoproteins
- Lee, Forrester A., 185–194, 283–304
- left-to-right shunt, 17, 250, 253, 254, 325
 see **also** atrial-septal defect
 ventricular-septal defect
- left ventricular aneurysm, 321, 382
- left ventricular hypertrophy (LVH), 32, 218, 265
- legs:
 blood clots in, 168, 207–208, 207
 fluid in, 168
 ~ain in, 13, 23, 157, 207–208, 210, Zil, 212
 swelling of, 15, 16, 112, 113, 179, 187, 194, 207–208
 varicose veins in, 112, 206, 209, 209
 weakness, numbness, or heaviness in, 14, 114
- legumes, 59, 61
- lesions, coronary, 43
- leukocytes (white blood cells), 8
- lidocaine (Xylocaine), 290
- life expectancy, 27, 276
 gender and, 28
 heart transplants and, 191
- Lipid Research Clinics Coronary Primary Prevention Trial, 42
- lipoprotein (a) (“Lp liffle a”), 30
- lipoproteins, 38
 measurement of, 44–45
 very-low-density (VLDL), 39–40, 61
 see also high-density lipoproteins; low-density lipoproteins
- lisinopril (Prinivil; Zestril), 288
- lisinoprilhydrochlorothiazide (Zestoretic), 304
- liver (meat), 59
- liver (organ), 33, 38, 47, 52, 297
 enlargement of, 180, 249–250
 swelling in, 112–113, 249
- liver disease, 112–113
- London, heart disease studies in, 93
- loop diuretics, 164
- Iovastatin (Mevacor), 49, 297
- low-density lipoproteins (LDL), 30, 38–40, 47, 48, 270, 275, 277, 295–297
 diet and, 54, 55, 56
 exercise and, 92
 measurement of, 44–45
 oral contraceptives and, 239
 smoking and, 72, 73
 stress and, 97
 in women, 239, 240, 241
- lung cancer, 71, 72, 74, 77
- lung disease, 108, 114, 118, 293
 smoking and, 71–72
- lungs, 6
 blood clot in (pulmonary embolism), 109, 137, 206, 207, 207, 209
 collapsed (pneumothorax), 108–109, 137
 fluid in, 15, 118, 168, 178–179, 185–186, 188, 249, 250, 254, 258, 341, 389
 heart failure signs in, 180, 181
 oxygen exchange in, 178, 179
 pulmonary circulation and, 7, 8, 9
 transplants of, 324
- lupus erythematosus, 19, 188, 213, 290
- lymphatic system, edema and, 113
- lymphoma (lymphatic cancer), 19
-
- ### M
- McPherson, Craig A., 195–204, 283–304
- magnesium, 79
- magnetic resonance imaging (MRI), 126, 194, 211, 213, 225, 226, 261
- malnutrition, 80, 114
 cardiomyopathy and, 187, 189
- Marfan syndrome, 110, 117, 118, 174, 212, 382–383
- margarine, 55–56, 59
- Matthews, Karen, 100
- Mayo Clinic, 239
- meat, 55, 59, 61
 cooking of, 66
 organ, 59, 62
 processed, 53, 62
- Medic Alert Foundation, 338
- medical history, 115, 225
- meditation, 163, 196
- Mediterranean diet, 277
- menopause, 31, 48–49
 estrogen and, 28, 32, 63, 238–239
- mental responses, to stress, 96–97
- menus, healthy, 60, 69–70
- metabolic equivalents (METs), 122
- metabolism, 56, 64, 72, 74, 216
 exercise and, 87, 92
 fainting and, 112
- methyl dopa (Aidomet), 284, 295
- methyl dopahydrochlorothiazide (Aldoril), 304
- metolazone (Diuro; Mykrox; Zaroxolyn), 300
- metoprolol (Lopressor), 293
- mexiletine (Mexitil), 203, 290
- micturition (urination) syncope, 112
- migraines, drug selection and, 284
- milk, 53, 59, 61
- ministrokes, see transient ischemic attacks

- Minnesota Heart Survey, 242
 minoxidil (Loniten), 303
 mitral annular calcification, 267
 mitral regurgitation, 16, 173, 384-385
 mitral stenosis, 15-16, 168, 173, 310, 384-385
 mitral valve, 4, 5, 15, 167-168, 191, 250, 254, 318-319
 mitral valve prolapse, 16, 172-173, 243-244, 383-384
 mitral valvuloplasty, 310
 monoamine oxidase inhibitors (MAOIs), 287
 monounsaturated fats, 47, 55, 56, 59
 moricizine (Ethmozine), 202-203
 morphine, 146
 Moser, Marvin, 149-166, 283-304, 359-362
 Mount Sinai School of Medicine Complete Book of Nutrition (Herbert), 360
 MUGA scan (multigated acquisition scan; equilibrium radionuclide angiocardio-gram), 123-124, 138, 190, 193
 Multiple-Risk Factor Intervention Trial (MRFIT), 42
 multivariate analysis, 25
 muscular dystrophy, 189-190
 myocardial infarction, see heart attack
 myocardial ischemia, 134-135, 185, 194, 210, 213, 214, 341
 diagnosis of, 118, 121
 silent, 98, 118, 121, 134, 136, 137
 stress and, 97-98
 myocarditis (heart muscle inflammation), 19, 178, 187-188, 386
 causes of, 19, 187-188, 386
 treatment of, 19, 188, 386
 myocardium, 3, 5, 181
 myxomatous degeneration, 171, 172
- N**
-
- nadolol (Corgard), 293
 National Cancer Institute, 52, 77
 National Center for Health Promotion, 74, 77
 National Center for Health Statistics, 23, 134
 National Cholesterol Education Program, 37, 44
 National Heart, Lung, and Blood Institute, 44, 52, 142, 149, 242
 National High Blood Pressure Education Program, 149
 National High Blood Pressure Information Center, 164
- National Institutes of Health (NIH), 237, 273
 nausea, 12, 260
 nephritis, 155
 nephrotic syndrome (kidney disease), 19, 29, 31, 52, 239, 285
 edema and, 112
 nervous system, 9, 14
 autonomic, 164, 165, 172, 196
 "hyperpneic" children and, 256
 parasympathetic, 196
 sympathetic, 97, 100, 172, 196
 neurotransmitters, 9
 New England Journal of Medicine, 53, 61
 New Haven, Conn., obesity survey "in, 276
 New York Heart Association, 178
 niacin (nicotinic acid; Nia-Bid, Niacel; Niacor; Niaplus; Nicolar; Nicobid; Slo-Niacin), 43, 49, 61, 297
 nifedipine (Cardene), 294
 nicotine, 30, 72, 73, 74, 77
 nicotinic acid, see niacin
 nifedipine (Procardia; Procardia XL), 294
 nimodipine (Nimotop), 224, 294
 nitrates, 140-141, 245, 286, 301-302
 nitroglycerin, 136, 140-141, 144, 146, 174, 194, 301
 NMDA-receptor blockers, 233
 nonsteroidal anti-inflammatory drugs (NSAIDs), 19
 norepinephrine (noradrenaline), 9, 82, 165, 286, 292
 Norwood procedure, 258
 nuclear cardiology, 122-125
 major uses of, 122-123
 MUGA scan, 123-124, 138, 190, 193
 perfusion (blood flow) imaging, 124, 125
 thallium stress test (thallium scan), 125, 138
 VEST scan, 124
 Nurses' Health Study, 239, 240
 nutritional deficiency, 80, 114
 cardiomyopathy and, 187, 189
 nuts, 61
- O**
-
- oat bran, 53
 obesity, 29, 47, 72, 240-241
 android (male-pattern), 31, 63, 241, 242
 diet and, 51, 52
 in elderly, 270
 exercise and, 85, 92
 peripheral vascular disease and, 211
 race and, 276
 stroke and, 31, 218-219
 see also overweight
- occipital lobes, 217
 occupational therapy, after stroke, 229
 oils, 55-56, 59, 64
 tropical, 55, 62
 olive oil, 55, 56
 omega-3 fatty acids, 53, 61
 omega-6 fatty acids, 61
 oophorectomy, 239
 ophthalmoscope, 153
 oral contraceptives, 72, 156, 219, 239-240
 orthopnea, 178, 180
 orthostatic hypotension, 165, 265, 284
 Oslo Diet and Antismoking Study, 43
 osteoporosis, 32, 61, 285, 299
 Ostfeld, Adrian, 273-280
 ostium secundum defect, 252, 254
 outpatient phase, 357
 overweight
 hypertension and, 157, 161-162
 overfat vs., 63
 tests for, 63
 see also obesity
 oxygen:
 "blue babies" and, 17
 brain's use of, 216
 in capillaries, 7, 150
 decrease in, 9
 delivery of, 3, 4, 7, 8, 9, 134, 150
 deprivation of, see myocardial ischemia
 fainting and, 111, 112
 hemoglobin and, 8, 87
 hypoxia, 180
 increased need for, 5, 109-110
 in lungs, 178, 179
 stenosis and, 15
 training effect and, 87
 see also cyanotic conditions
- P**
-
- pacemakers, 18, 198, 203, 267, 331-335
 alphabet for, 332
 complications of, 333-334
 demand, 332
 dual-chamber, 332-333
 implantation of, 333, 333
 living with, 334-335
 natural, 116, 267, 331
 Paffenbarger, Ralph, 93
 pain, 13
 in calves, 13
 in chest, see chest pain
 in joints, 16
 in legs, 13, 23, 157, 207-208, 210, 211, 212
 peripheral vascular disease and, 208, 209
 in thighs, 13
 Palmaz-Shatz stent, 309

- palpitations, 16, 17, 111, 168, 197, 244, 267
- pancreas, 38, 109
- panic attacks, 110, 244
- papillary muscles, 4
- paralysis, stroke and, 229
- parietal lobes, 217
- paroxysmal atrial tachycardia, see supraventricular tachycardia
- paroxysmal (intermittent) nocturnal dyspnea, 109, 179, 180
- paroxysmal supraventricular tachycardia (PSVT), 196, 199–200, 203–204
- patent ductus arteriosus (PDA), 17, 252–253, 327, 328–329
- patients, as consumers, 359–362
- penbutolol (Levitol), 293–294
- penicillin, 16, 174, 260
- pentoxifylline (Trental), 211
- Pepper, Claude, 360
- percutaneous transluminal coronary angioplasty (PTCA; balloon angioplasty), 12, 13, 142, 183, 305–308
- in children, 255–256, 258
- complications of, 308
- in elderly, 269
- heart attack and, 146, 147
- identifying candidates for, 306–307
- peripheral vascular disease, 209, 211, 212
- procedure for, 307–308
- pros and cons of, 306
- perfusion (blood flow) imaging, 124, 125
- pericardial effusion (fluid around the heart), 119
- pericarditis, 19, 137, 188, 194, 386–387
- causes of, 19, 386
- symptoms of, 19, 110, 386–387
- treatment of, 19, 387
- pericardium, 4, 19, 188
- perinatal cardiomyopathy, 246
- peripartum cardiomyopathy, 187, 189
- peripheral adrenergic antagonists, 166, 302
- peripheral arterial disease, 209–212
- intermittent claudication and, 13, 23, 157, 210, 211, 212
- peripheral vascular disease (PVD), 13, 29, 205–214, 293, 387–388
- arterial, 209–214
- Buerger's disease, 213–214
- causes of, 206, 208, 209, 387
- circulatory system and, 205, 207
- diagnosis of, 208, 209, 211, 387
- foot care for people with, 210
- peripheral vascular disease (*cont.*)
- life-style measures and, 214
- peripheral arterial disease, 13, 23, 157, 209–212
- Raynauds phenomenon, 213, 285
- symptoms of, 13, 206, 208–211, 387
- treatment of, 13, 206, 208, 209, 211–212, 387–388
- venous, 206–209
- see also aortic aneurysm
- periphery of body, 205, 207
- persistent truncus arteriosus, 257
- phenothiazine, 193
- phenoxybenzamine (Dibenzyline), 213
- phenytoin (Dilantin), 289
- pheochromocytoma, 156
- phlebitis, 206, 207, 208, 291
- pindolol (Visken), 293
- Piselli, Caroline, 71–83
- placenta, 248
- plaque, 23, 40, 110, 221, 305
- buildup of, see arteriosclerosis; atherosclerosis
- defined, 12
- normal artery blocked by, 135
- removal of, 211; see also percutaneous transluminal coronary angioplasty
- plasma, blood, 7, 8
- plasminogen, 30
- platelets, blood, 8, 73, 82, 92–93, 97, 98, 110, 141, 227, 291
- platelet scintigraphy, 208
- pneumonia, 137, 188
- pneumothorax, 108–109, 137
- polio, 188
- polyunsaturated fats, 47, 53, 55, 56, 59
- positron emission tomography (PET), 126, 226
- potassium, 156, 182, 278, 284
- Powell, Lynda, 101
- pravastatin (Pravachol), 297
- prazosin (Minipress), 174, 211, 284, 286–287
- prednisone (Deltasone), 260, 324
- preeclampsia, 246
- pregnancy, 244–246
- blood pressure and, 157, 244, 246
- cardiomyopathy and, 187, 189
- cocaine and, 32, 82
- development of heart in, 247–248
- diagnosis and, 119, 122
- drug selection and, 244–246, 285, 295
- edema and, 113
- fetal echocardiography and, 248–249
- heart disease induced by, 246
- smoking and, 77
- varicose veins and, 209
- premature ventricular contractions (PVC), 18, 196, 200, 201
- treatment of, 202
- primary prevention trials, 42
- probucol (Lorelco), 49, 297–298
- procainamide (Procan SR; Pronestyl; Pronestyl SR), 18, 175, 290
- progestins, 240
- Progressive Muscle Relaxation, 102–103
- prolapse, 15
- mitral valve, 16, 172–173, 243–244, 383–384
- propafenone (Rhythmol), 203, 289–290
- propantheline bromide (Probanthine), 289
- propranolol (Inderal), 202, 279, 293
- propranolol/hydrochlorothiazide (Inderide; Inderide LA), 304
- prostaglandin E₁, 252, 255, 258
- prostaglandins, 238–239
- protein:
- albumin, 112–113
- cardiomyopathy and, 19–20
- dietary, 53–56
- hemoglobin, 8, 87
- low-fat sources of, 61
- in plasma, 8
- in urine, 158–159
- prothrombin time tests, 227
- psychological (functional) chest pain, 110–111
- psychological (functional) dyspnea, 108
- pulmonary angiography, 209
- pulmonary artery, 4, 8, 250, 257
- in arterial switch, 256–257
- in transposition of the great arteries, 17, 256–257, 326, 328
- pulmonary atresia, 257–258
- pulmonary capillaries, 8
- pulmonary circulation, 7, 8, 9
- pulmonary dyspnea, 108
- pulmonary edema, 179, 188, 254, 258, 341, 389
- pulmonary embolism, 109, 137, 206, 207, 207, 209
- pulmonary hypertension, 137, 209, 389–390
- pulmonary regurgitation, 174, 390–391
- pulmonary stenosis, 16, 17, 174, 311, 390–391
- in children, 248, 255
- pulmonary valve, 4, 5, 15, 16, 167, 257, 318
- pulmonary veins, 3
- pulse, taking of, 90, 334, 344, 355
- pure motor stroke, 223
- pure sensory stroke, 223
- Purkinje fibers, 5, 196, 196

PVD, see peripheral vascular disease
pyridostigmine (Mestinon), 289

Q

quinidine (Quinidex; Quinora), 18, 202
valve disease and, 173, 175
quinidine gluconate (Duraquin; Quinaglute Dura-Tabs; Quinalan Sustained-Release), 290–291
quinidine sulfate (Quinidex Extentabs), 290–291

R

race, 273–280
beta blockers and, 165
cholesterol levels by, 39
in coronary heart disease, 274–275
diet and, 276, 278
life-style and, 278–279
risk factors and, 275–277
see *ako* African-Americans
radiation therapy, 19
radio frequency catheter ablation, 204
radioisotope scans, see nuclear cardiology
Rahe, Dr., 98
rash, 16
Raynauds phenomenon, 213, 285
Recommended Daily Allowance, U. S., 65
Recurrent Coronary Prevention Program, 103
regurgitation, 15, 16, 168, 318
aortic, 16, 174, 369
mitral, 16, 173, 384, 385
pulmonary, 174
tricuspid, 174
rehabilitation, after stroke, 228–229
rehabilitation, cardiac, 349–358
criteria for judging program of, 353
emotional doubts and responses to, 350–351
goals of, 352–353
going forward and, 358
in historical perspective, 349–350
hospital phase of, 351–352
insurance reimbursement for, 354
relaxation techniques, 102–103, 163
Remetz, Michael, 339–347
renin, 9, 155
renin-angiotensin system, 182
renovascular hypertension, 155–156
Research on Women's Health, 237

reserpine (Serpasil), 166, 284, 302
reserpine/hydralazine/hydrochlorothiazide (Ser-Ap-Es), 304
rest:
heart and, 4
shortness of breath at (orthopnea), 178, 180
as treatment, 15, 19
restaurants, eating in, 51, 67–70
restenosis, 211
restorative neurology, 233
restrictive cardiomyopathy, 19–20, 185, 186, 193–194, 193
amyloidosis, 19–20, 193, 194
causes of, 193–194
diagnosis and treatment of, 194
endomyocardial fibrosis, 193, 194
hemochromatosis, 20, 193, 194
sarcoidosis, 19–20, 193, 194
symptoms of, 194
retinopathy, 159
Reye's syndrome, 292
rheumatic fever, 15, 16, 19, 318
in children, 170, 247, 260
valve disease and, 170, 173
rheumatic heart disease, 16, 391
symptoms of, 16, 391
ribs, broken, 137
rifampin (Rifadin; Rifamate; Rimactane), 289
risk factors, 23–35
behavioral, 31–32, 95–104
changeable, 29–32; see *also* cholesterol; diabetes; diet; hypertension; obesity; smoking
cocaine, 18, 32, 82, 177, 199, 220, 223
danger of heart attack by, 27
dichotomous vs. continuous, 25
effects of modification of, 27–28
fibrinogen, 31, 72
identification of, 24–27
left ventricular hypertrophy, 32, 218, 265
prediction chart for, 26–27
program for modification of, 33–35
protective, 32–33; see *also* alcohol; estrogen; exercise
race and, 275–276
unchangeable, 28–29; see *also* aging, age; gender~heredity
Roosevelt, Franklin D., 159, 179
Rosenfeld, Lynda E., 195–204, 237–246, 283–304
Rosenman, Ray, 99, 101
rubella (German measles), 188, 248, 252
Russia, 40

s

saccular aneurysm, 212
safety, exercise and, 90–91, 358
salt:
foods high in, 161
restriction of, 15, 29, 33–34, 67, 160–161
retention of, 112, 160, 182, 287
see *also* sodium
Sample Heart-Healthy Menus, 59, 60
sarcoidosis, 19–20, 193, 194
saturated fat, 46, 47, 51, 52, 55, 56, 62
scintillation (gamma) camera, 122, 123
scoliosis, 244
seafood, 59
secondary prevention, 42–43
sedatives, 260
seeds, 61
Selye, Hans, 95
semilunar valves, 4
septal defects, 253–255
atrial, 17, 32, 248, 252, 254, 325, 326
atrioventricular (canal defect), 249, 254–255
ventricular, 17, 32, 248, 253–254, 255, 257, 325, 326
septostomy, 256
septum, 3, 191, 247, 248, 254, 257
Seven-Countries Study, 41
sex, after heart attack, 351
sexual dysfunction, 13, 165, 287
drug selection and, 284
shingles, 137
shock, 18, 113, 392
shopping, for food, 64–66
Shumway, Norman, 314
sick sinus syndrome, 196, 198, 267
signal-averaged electrocardiogram (SAECG), 117, 200
simvastatin (Zocor), 297
single photon emission computed tomography (SPECT), 125–126, 226
sinus bradycardia, 18, 196, 197–198, 203
sinus (sinoatrial) node, 4, 5, 17, 195, 196, 198, 331
in brady-tachy syndrome, 18, 203
sleep:
early-morning awakening and, 114
lack of, 17, 18
strokes during, 221
Smoke Stoppers, 74, 77
smoking, 71–79
arrhythmia and, 17, 18
cessation methods for, 74, 76–77, 78
cigars or pipes, 72, 73

INDEX

- smoking (cont.)
 daily cigarette count and, 74, 76
 decline in, 72
 by elderly, 270
 helping others to quit, 78–79
 hypertension and, 155
 lung disease and, 71–72
 peripheral vascular disease and, 210, 211, 213–214
 race and, 275
 reasons to quit, 79
 as risk factor, 23, 25, 27, 28, 30–31, 34, 37, 48, 71–79, 73, 240
 risk lowered by cessation of, 73–74, 143
 risk raised by, 72–73
 secondhand smoke and, 77–78
 self-assessment quiz on, 75
 short-term effects of, 73
 stroke and, 218
 vascular disease and, 13
 Social Readjustment Scale, 98
 sodium, 33
 cocaine and, 82
 diet and, 51, 52, 57
 hypertension and, 14, 52, 278
 reduction of, 52, 160
 retention of, 9, 155, 180
 Soufer, Robert, 177–183
 Spain, 56
 speech, loss of, 14
 speech therapy, after stroke, 229–230
 sphygmomanometers, 151
 spironolactone (Aldactone), 300–301
 spironolactone/
 hydrochlorothiazide
 (Aldactazide), 304
 Stanford University, 93
 starches, 54
 steaming, 66
 stearic acid, 56
 stenosis, 15–16, 17, 119, 168, 318
 aortic, see aortic stenosis
 carotid, 200–221, 226, 228
 mitral, 15–16, 168, 173, 310, 384–385
 pulmonary, 16, 17, 174, 248, 255, 311, 390–391
 tricuspid, 174, 311
 stents, 309–310
 stethoscopes, use of, 151, 171, 173, 180, 249, 250
 Stockholm, University of, 102
 Stockhohn Ischemic Heart Disease Study, 43
 strep infection, 16, 155, 260
 streptokinase (Kabikinase; Streptase), 146, 209
 stress, 4, 95–104
 angina and, 136
 blood pressure and, 150, 153
 defined, 95–96
 development of heart disease and, 97–98
 stress (cont.)
 management of, 74, 85, 102–104, 143
 mental, emotional, and behavioral responses to, 96–97
 physiological responses to, 97
 psychosocial factors and, 98–99
 reduction of, 32, 34
 signs and symptoms of, 96
 Type A behavior and, 99–102
 in women, 241–242
 workings of, 96–97
 stress inoculation therapy (anger management training), 104
 stress test, exercise, 93–94, 117, 120–122, 125, 147, 268, 353
 overuse of, 154
 stress test, thallium (thallium scan), 125, 138
 stroke (cerebrovascular disease; apoplexy), 12, 14–15, 27–31, 38, 51, 149, 158, 179, 215–233, 244, 268, 392–393
 acute phase of, 226
 adjustment after, 230–232
 brain function and, 215–217
 causes of, 14, 23, 149, 158, 159, 199, 215, 221–224, 393
 diagnosis of, 126, 224–226, 393
 embolic, 14, 18, 221–222, 222
 exercise and, 93
 hemorrhagic, 14, 221, 223–224, 226
 hypertension and, 29, 149, 158, 179, 217, 218, 223
 ischemic, 221–223
 neurologic deficits after, 229–232
 prevention of, 27, 217–220, 393
 previous, 219
 recovery from, 228–230
 research on, 232–233
 symptoms of, 14, 215–216, 220, 393
 thrombotic, 14
 TIAs and, see transient ischemic attacks
 treatment of, 14, 18, 221, 222, 223, 226–228, 393
 stroke volume, 6
 subarachnoid hemorrhage, 223–224, 226
 sudden infant death syndrome (SIDS), 77
 sugars, 53, 54, 66–67
 superior vena cava, 7
 supraventricular (paroxysmal atrial) tachycardia, 111, 196, 198–200
 atrial flutter, 196, 198–199, 203
 supraventricular (paroxysmal atrial) tachycardia (cont.)
 paroxysmal (PSVTs), 196, 199–200, 203–204
 treatment of, 202–204
 ventricular fibrillation, 18, 187, 191, 196, 200, 204, 336
 see also atrial fibrillation
 Surgeon General, 77
 Surgeon General's Report (1988), 63
 Surgeon General's Report on Smoking and Health (1964), 71
 Surgeon General's Report on the Health Benefit of Smoking Cessation (1990), 71, 73
 surgery, 313–329
 antibiotics and, 169, 170
 for arrhythmia, 204, 320–321
 bypass, 14, 42, 212; see also coronary artery bypass surgery
 for cardiomyopathy, 192
 for children, 247, 253–258
 for congenital heart disease, 17
 for elderly, 266–269
 endocarditis and, 19
 heart transplant, see heart transplants
 open-heart, 313–316, 316, 325
 pediatric heart, 324–329
 for pericarditis, 19
 for peripheral vascular disease, 211–212, 213
 stroke and, 221, 223, 224, 226, 227–228
 valve repair, 175, 182
 valve replacement, 15, 16, 175, 182, 244, 266–267, 291, 318–320, 319, 320
 Swan-Ganz catheter, 314–315
 swelling (edema), 16, 112–113
 in abdomen, 15, 16, 112, 194, 249
 of ankles, 15, 80, 112–113, 168, 174, 179, 179, 180, 249
 of arms, 113
 causes of, 112–113
 around eyes, 112, 113, 249
 of legs, 15, 16, 112, 113, 179, 187, 194, 207–208
 of liver, 112–113, 249
 pulmonary, 179, 188, 254, 258, 341, 389
 symptoms, 107–114
 cyanosis, 113
 palpitations, 16, 17, 111, 168, 197, 244, 267
 see also breath, shortness of; chest pain; fainting; fatigue; swelling
 syncope, see fainting
 systemic circulation, 7–8
 systole, 5, 250
 systolic blood pressure, 29, 120, 151, 153, 265

- Systolic Hypertension in the Elderly Program (SHEP), 265
- T**
-
- tachyarrhythmia (tachycardia), 195, 198–204, 331, 394–396
 defibrillator and, 335–338
 drug selection and, 284
 in elderly, 267–268
 see *also* supraventricular tachycardia; tachy-brady syndrome; ventricular tachycardia
- tachy-brady syndrome, 18, 203
- T-cell lymphocytes, 324
- technetium-99m, 123
- teenagers:
 arrhythmia in, 198
 smoking by, 72
- temporal lobes, 217
- terazosin (Hytrin), 284, 286–287
- tests, 115–129
 blood, 147, 151, 154, 251
 for elderly, 268
 exercise stress, 93–94, 117, 120–122, 125, 147, 154, 268, 352
 Helter monitor, 17, 118, 119, 138, 200, 268
 other isotope and imaging, 125–126
 overused, 154
 for peripheral vascular disease, 208
 questions to ask about, 361
 for stroke, 225–226
 unnecessary, 361
 see *also* catheterization; echocardiography; electrocardiogram; nuclear cardiology; X-rays
- tetanus, 188
- tetralogy of Fallot, 17, 256
 surgery for, 325, 326, 327
- thallium, 268
- thallium stress test (thallium scan), 125, 138
- thallium-201, 123, 138
- therapy, 19
 group, 102
 after stroke, 229–230
- thiazides, 164
- thighs, pain in, 13
- thioridazine (Mellaril), 193
- Thoresen, Carl, 101, 102
- thrombolysis, 12–13
- thrombolytic agents, 145–146, 147, 208, 209, 283, 291–292
 examples of, 292
 in stroke therapy, 232–233
- thrombosis:
 cerebral, 158, 168
 coronary, 157–158
 venous, 206, 207–208, 207
- thrombotic stroke, 14
- thyroid gland, 154
 hyperthyroidism and, 17, 177, 289
- thyroid medications, 296
- TIA dementia, 158
- ticlopidine, 227
- timolol maleate (Blocadren), 293–294
- tobacco:
 smokeless, 72
 see *also* smoking
- tocainide (Tonocard), 203, 291
- toes:
 cold or painful, 13, 213
 discoloration of, 13
- tokinase (Streptase), 209
- tomography:
 computed (CT scan), 126, 156, 194, 213, 224, 225
 positron emission (PET), 120, 226
 single photon emission computed (SPEC'T), 125–126, 226
- total anomalous pulmonary venous connection, 258
- toxemia of pregnancy, 246
- t-PA (tissue plasminogen activator), 146, 232–233
- training effect, 87
- tranquilizers, 260
- transesophageal echocardiography, 120
- transient ischemic attacks (TIAs; ministrokes), 14, 23, 158, 217, 393
 conditions similar to, 221
 drug selection and, 284
 history of, 219
 long-term treatment of, 227
 warning signs of, 220
- transplants:
 heart, see heart transplants
 heart-lung, 324
- transposition of the great arteries, 17, 256–257
- surgery for, 326, 328
- treatment, 281–362
 clinical trials and, 27–28
 medical consumerism and, 359–362
 see *also* drugs; emergencies, cardiac; interventional cardiology; pacemakers; percutaneous transluminal coronary angioplasty; rehabilitation, cardiac; surgery; *specific diseases*
- triamterene (Dyrenium), 301
- triamterene/hydrochlorothiazide (Dyazide; Maxzide), 304
- tricuspid atresia, 257, 327, 328
- tricuspid regurgitation, 174
- tricuspid stenosis, 174, 311
- tricuspid valves, 15, 16, 167, 250, 254, 318
- tricyclic antidepressant drugs, 193
- triglycerides, 39, 40, 55, 295, 296
 drugs for lowering of, 245
 exercise and, 85
 as risk factor, 29–30, 31, 38, 241
 smoking and, 72
- tuberculosis, 110, 188
- tumors, 207, 373
 adrenal, 156
 diagnosis of, 119, 373
- Type A behavior, 31–32, 99–104, 220
 in African-Americans, 278
 Bortner rating scale for, 100
 measuring of, 100, 101
 risk assessment and, 101–102
- Type B behavior, 99, 100, 102
- u**
-
- ultrasonography:
 defined, 208, 226
 Doppler, 120, 172, 208, 211, 251
- unconscious persons, obstructed airways of, 346–347
- urea, 55
- uremia, 159
- uric acid, 299
- urinalysis, 154, 155
- urination, urine, 7, 9
 excessive, 156
 protein in, 158–159
- urination (micturition)
 syncope, 112
- urokinase (Abbokinase), 146, 209
- Utermohlen, Virginia, 51–70
- uterus, cancer of, 32
- v**
-
- vagus nerve, 1'12
- valve disease, 11, 15–16, 119, 167–175, 177–178, 252
 aortic, 369; see *also* aortic regurgitation; aortic stenosis
 arrhythmia and, 1–7
 causes of, 15, 16, 170–171
 complications and sequelae of, 168–170
 congenital, 15, 17, 326, 328
 diagnosis of, 171–172
 in elderly, 266–267
 heart failure and, 181–182
 mitral, see mitral regurgitation; mitral stenosis; mitral valve prolapse
 pulmonary, see pulmonary regurgitation; pulmonary stenosis
 stroke and, 218, 222
 symptoms of, 15, 16
 treatment of, 15, 16, 173, 174–175, 266–267, 286, 291, 318–320, 326, 328, 369
 types of, 172–174

INDEX

- valves, 4, 205
aortic, see aortic
 regurgitation; aortic
 stenosis; aortic valve
heart failure and, 15, 182
mitral, 4, 5, 15, 167-168, 191,
 250, 254, 318-319
pulmonary, 4, 5, 15, 16, 167,
 257, 318
replacement of, 15, 16, 175,
 182, 244, 266-267, 291,
 318-320, 319, 320
semilunar, 4
tricuspid, 15, 16, 167, 250, 254,
 318
varicose veins and, 209, 209
of veins, 8
workings of, 167-168
valvuloplasty, 173, 175, 255,
 310-311
 aortic, 267, 310-311
 mitral, 310
varicose veins, 112, 206, 209, 209
vascular disease, see aneurysm;
 aortic aneurysm;
 peripheral vascular
 disease
vasoconstrictors, 155
vasodilators, 165-166, 174, 182,
 253, 284, 302-303; see also
 angiotensin converting
 enzyme inhibitors;
 nitroglycerin
vasospasm, 224, 294
vasovagal response (vasovagal
 syncope), 112
vegetables, 59, 66, 67
veins, 4, 205-209, 396
 blood clots in (venous
 thrombosis), 206, 207-208,
 207
 chronic venous insufficiency
 and, 206, 208
 coronary, 5
 dilation of, 140
 inflammation of (phlebitis),
 206, 207, 208, 291
 major, 7
 pulmonary, 3
 in pulmonary circulation, 8
 pulmonary embolism, 109,
 137, 206, 207, 207, 209
 in systemic circulation, 7-8
 varicose, 112, 206, 209, 209
venography, contrast, 208
ventricle:
 left, 3-4, 6, 15-16, 19, 32, 121,
 128, 135, 168, 191, 205,
 250, 318
 right, 3-6, 8, 250, 254, 255,
 257, 258
ventricular ectopic activity, 121
ventricular enlargement, 119
ventricular fibrillation, 18, 187,
 191, 196, 200, 204, 336
ventricular premature beats
 (VPBS), 388-389
ventricular-septal defect, 17, 32,
 248, 253-254, 255, 257
 surgery for, 325, 326
ventricular tachycardia, 18, 111,
 196, 198, 200
 electrical conversion of, 201
 treatment of, 204, 268
venules, 4, 7
verapamil (Calan; Isoptiru
 Verelan), 192, 202, 28%
 294-295
very-low-density lipoprotein
 (VLDL), 39-40, 61
Vesalius, Andreas, 313
VEST scan, 124
Veterans Administration, 139
viral infections, 15, 19, 110, 187-
 188, 248, 261
vision, dimness or loss of, 14
vitamin C, 227
-
- W**
- Wackers, Frans J. Th., 85-94
Wall stent, 310
warfarin (Coumadin; Panwarfin),
 175, 203, 218, 227, 246,
 289, 292, 296, 315, 325
 peripheral vascular disease
 and, 208, 209
waste products, removal of, 3, 7,
 8
water pills, see diuretics
water retention, 9, 15, 287
 heart failure and, 180, 182,
 185-186
watershed (distal field)
 ischemia, 221, 222
weather
 angina and, 136
 exercise and, 91
weight
 alcohol and, 62
 distribution of, 31, 63, 241, 242
 equation for, 63, 64
 ideal, 57
 maintenance of, 63-64
 smoking and, 73, 74
 see also obesity; overweight;
 weight loss
weight loss, 19, 29, 32, 33, 63-
 64, 194
 blood pressure and, 161-162
 cholesterol and, 45, 46
 exercise and, 92
Wenckebach phenomenon, 198
Wenneker, Mark B., 279
Western Collaborative Group
 Study (WCGS), 101
- White, Paul Dudley, 350
Wilson, Woodrow, 159
Wolff-Parkinson-White
 syndrome (WPW), 196,
 199-200, 203, 204, 290,
 321, 396-397
women, 237-246
 adrenal tumors in, 156
 alcohol use of, 81
 American, cardiovascular
 disease in, 237
 atherosclerosis in, 28, 238-243
 chest pain in, 110, 111, 242
 cholesterol levels of, 30, 39,
 40, 48-49, 238-242
 diabetes in, 218
 diagnosis in, 119, 121, 122
 diet of, 61
 estrogen and, 28, 32, 63, 238-
 239
 ideal weight for, 57
 menopause and, 28, 31, 32,
 48-49, 63, 238-239
 obesity in, 31, 240-241
 peripheral vascular disease in,
 209, 213
 smoking by, 28, 72, 73, 77,
 219, 239, 240
 stress and, 99, 101-102
 Type A, 99, 101-102
 valve disease and, 170, 172,
 243-244
 see also pregnancy
-
- X**
- xenon inhalation, 226
X-rays, 13, 43
 chest, 117-118, 117, 171-172,
 180, 181, 190, 192, 251
 of coronary arteries, see
 angiography
 venogram, 208
-
- Y**
- Yale-New Haven Hospital, 159,
 335
 Center for Health Promotion
 of, 74
Yale Nutrition Services, 56
Yale University School of
 Medicine, 248, 255, 260,
 345
 heart attack study of, 242
 rehabilitation at, 355, 357
yoga, 163, 196
Young, Lawrence H., 263-271
-
- Z**
- Zahler, Raphael, 71-83
Zaret, Barry L., 115-129, 349-
 358